Duration: **50 minutes** Aids Allowed: **none**

Student Number:	
Family Name(s):	
Given Name(s):	

Do **not** turn this page until you have received the signal to start. In the meantime, please read the instructions below carefully.

This term test consists of 3 questions on 3 pages (including this one), printed on both sides of the paper. When you receive the signal to start, please make sure that your copy of the test is complete, fill in the identification section above, write your student number where indicated at the bottom of every odd-numbered page (except page 1), and write your name on the back of the last page.

Answer each question directly on the test paper, in the space provided, and use the reverse side of the pages for rough work. If you need more space for one of your solutions, use the reverse side of a page and *indicate clearly* the part of your work that should be marked.

In your answers, you may use without proof any result or theorem covered in lectures, tutorials, homework, tests, or the textbook, as long as you give a clear statement of the result(s)/theorem(s) you are using. You must justify all other facts required for your solutions.

Write up your solutions carefully! In particular, use notation and terminology correctly and explain what you are trying to do—part marks *will* be given for showing that you know the general structure of an answer, even if your solution is incomplete.

MARKING GUIDE



TOTAL:	/40
--------	-----

Question 1. [12 MARKS]

Consider the following algorithm.

Precondition: A is a list, $b, e \in \mathbb{N}$, $0 \le b \le e < \operatorname{len}(A)$, $A[b \dots e]$ are positive integers $(i.e., \ge 1)$ PRODUCT(A, b, e): **if** e == b: **return** A[e] step = 1 prod = 1 c = b# LI: $b \le c \le e + 1$ and $prod = \operatorname{product}$ of values in $A[b \dots c - 1]$ if b < c. **while** c <= e: $d = \min(c + step - 1, e)$ $prod = prod * \operatorname{PRODUCT}(A, c, d))$ step = step * 2 c = d + 1 **return** prod# Postcondition: returns the product of the values in $A[b \dots e]$

Part (a) [2 MARKS]

Trace PRODUCT(A, 0, 7) with A = [2, 1, 2, 1, 3, 2, 4, 1] in order to understand how the algorithm works. Use whichever method of *tracing* you are familiar with. Note this question is worth very few points and is intended to help you do the other questions. Do not spend a lot of time on this question.

Part (b) [8 MARKS]

Give an **exact** recurrence relation satisfied by T(n), the worst-case running time of PRODUCT on inputs of size n, when n is a power of 2 (*i.e.*, $n = 2^k$ for some $k \in \mathbb{N}$)—your solution does **not** have to apply to other values of n. Justify that your recurrence is correct—in particular, specify clearly what you measure (*i.e.*, how you count steps) and give a precise definition of n in terms of the algorithm's parameters.

Part (c) [2 MARKS]

Does the Master Theorem apply to your recurrence relation from part (a)? Justify—simply explain why the theorem applies or not; do **not** try to give a closed-form expression for T(n).

Question 2. [14 MARKS]

Write a detailed proof that the loop invariant in algorithm PRODUCT is correct. In your proof, you may simply **assume** that (A, b, e) is an input of size n that satisfies the precondition, and that PRODUCT is correct for all inputs of size *less* than n.

Question 3. [14 MARKS]

Write a detailed proof that algorithm PRODUCT is correct. In your proof, you may simply **assume** that the loop invariant is true and that the loop terminates—i.e., you can answer this question even if you did not answer the previous one.

On this page, write nothing but your name.

Family Name(s):

Given Name(s):